

CS 261

Fall 2025

Sharon Simmons, Professor



<https://xkcd.com/138/>

C Introduction

Comparison w/ Java, Memory Model, and Pointers

The C Language

- Systems language originally developed for Unix
- Imperative, compiled language with static typing
- “High level” at the time; now considered low-level
- Allows “direct” access to memory (subject to architecture)
- Many compilers and standards: we’ll use GNU and C99



Ken Thompson

*(inventor of B language
and Unix)*




Dennis Ritchie

*(inventor of C language
and coauthor of C book)*



Brian Kernighan

*(coauthor of C book and
contributor to Unix/C)*



Review: Compilation





Figure 1.3 The compilation system.

```
linux> gcc -o hello hello.c
```

Review: Makefiles

- The compilation process is usually streamlined using a build system (we'll use Make)
- Provide a “Makefile” that contains targets, dependencies, and build commands
- Example Makefile:



The diagram shows a Makefile entry with three blue arrows pointing to its components: 'target' points to 'hello:', 'dependency' points to 'hello.c', and 'build command' points to 'gcc -g -O0 -o hello hello.c'.

```
hello: hello.c
      gcc -g -O0 -o hello hello.c
```

Hello, World

- How is this different from Java?

```
#include <stdio.h>

int main()
{
    printf("Hello, world!\n");
    return 0;
}
```

Similarities to Java

- Semicolons!
- Comments (both `//` and `/* */` styles)
- Basic types: `int`, `char`, `float`, `double`
 - Char is just a number
- Blocks w/ curly braces
- Loops: `do`, `while`, `for`
- Switch statements
 - Parameter must be integer
- Function definitions

Differences from Java

- Preprocessor macros (`#include`, `#define`)
- Functions must be declared before use
 - New distinction: `declaration` vs. `definition`
 - Interface (.h) vs implementation (.c)
- Fewer built-in types
 - Booleans are “`bool`” (not built-in; must include `stdbool.h`)
 - Actually integers: 0 is “false”, anything else is “true”
 - No built-in string type (C strings are just arrays of chars)
- No classes, packages, or built-in exceptions
- Different I/O functions: `printf`, `fgets`, `scanf` (in `stdio.h`)
 - For `printf`, embed variables in output using formatting codes
 - E.g., use “%d” to embed an integer (see documentation for more codes)

Variables in C

- Declared by **type** and **name** like in Java
 - Can be initialized when declared (this is recommended!)
 - E.g., `int file_counter = 0;`
 - If not initialized, contents are **undefined** until assigned
 - Can be declared '**const**'
 - Read-only, similar to '`final`' in Java—must be initialized!
- Multiple declarations per line are allowed
 - E.g., `int x, y;`
 - E.g., `int x = 0, y = 1;`
 - Mixed-initialization and multiple declarations is not recommended
 - E.g., `int x, y = 1; // only initializes y!`

C data types

- Integer types: `char` and `int`
 - Can be signed (default) or `unsigned`
 - `short`, `long`, and `long long` modifiers for `int`
- Real types: `float` and `double`
 - Floating-point representation

Data type	Size on stu (bytes)
<code>char / bool</code>	1
<code>short int</code>	2
<code>int</code>	4
<code>long int / long long int</code>	8
<code>float</code>	4
<code>double</code>	8

1 byte = 8 bits

Explicit-width integer types

- C standard doesn't mandate integer widths
 - It only specifies a minimum
 - This causes problems when different architectures or compilers provide different actual sizes
- More portable alternative: `stdint.h` types
 - Basic format: `xintY_t`
 - `X` can be empty (signed) or 'u' (unsigned)
 - `Y` can be 8, 16, 32, or 64 (bits)
 - Examples: `int8_t`, `uint8_t`, `int32_t`, `uint64_t`

Variable attributes (CS 430 preview)

- Name
- Value
- Type
- Address
- Scope
- Lifetime

Variable attributes (CS 430 preview)

- **Name**: **identifier** used to refer to the variable in code
- **Value**: current **contents** of a variable
- **Type**: **range of values** a variable can store
- **Address**: **location** of variable's value
 - Most common locations: **register**, **stack**, **heap**, or **static data**
 - We'll focus on the non-register locations for now
- **Scope**: **code range** where a variable is visible
 - **Global**: visible anywhere in file (code module)
 - **Local**: visible only inside a function or block
- **Lifetime**: **time period** when variable access is valid
 - **Static**: allocated when program starts; de-allocated on exit
 - **Dynamic**: allocated and de-allocated while program runs

Aside: Enums

- An **enumeration** is a type where all values are listed
 - Declared in C using enum keyword
 - In C, the actual values are stored as integers
 - Can assign integer values if desired
 - Primary advantage: named constants

```
typedef enum {  
    MON = 1, TUE, WED, THU, FRI, SAT, SUN  
} day_t;
```

```
// essentially the same as: int midterm_day = 3;  
day_t midterm_day = WED;
```

Memory management

- The fundamental difference between C and Java is how they handle memory
 - Java is a **managed** language, where the compiler and runtime handle memory management for the programmer and direct access to memory is difficult or impossible
 - C is **not** a managed language, meaning we can directly access and manipulate memory using arbitrary addresses
 - This makes it possible to do the kind of low-level experimentation we want to do in CS 261, and it also enables optimizations that are not possible using Java
 - However, it is also far more dangerous!

“With great power comes great responsibility.”

Pointers

- A **pointer** is a variable that contains a memory address
- Type modifier: “*” indicates one level of pointer
 - `int *p;`
 - `int **p; // yes, this works`
- Often initialized using the “&” operator (“address of”)
 - `int x;`
 - `p = &x;`
- Dereferenced with “*” operator (“follow the pointer”)
 - `*p = 7;`
- Set a pointer to **NULL** to mark them as invalid
- C does NOT check pointers before dereferencing them!
 - `int *p = NULL; *p = 123; // this will segfault!`

Types

- Pointers are variables, so they have a type
 - The type describes what kind of data it points to
 - An int has type `int`
 - A *pointer to an int* has type `int*`
 - A pointer to a pointer to an int has type `int**`
- Expressions also have a type
 - If `x` has type `int`, then `x+4` also has type `int`
 - If `x` has type `int`, then `&x` has type `int*`
 - If `p` has type `int*`, then `*p` has type `int`
 - If `p` has type `int*`, then `&p` has type `int**`

What will this C code print?

```
int a = 42;
int b = 7;
int c = 999;
int *t = &a;
int *u = NULL;
printf("%d %d\n", a, *t);

c = b;
u = t;
printf("%d %d\n", c, *u);

a = 8;
b = 9;
printf("%d %d %d %d\n", b, c, *t, *u);

*t = 123;
printf("%d %d %d %d %d\n", a, b, c, *t, *u);
```

Question

- What does the following C code do?

```
int* c, d;
```


- A) Declares two integers “c” and “d”
- B) Declares two integer pointers “c” and “d”
- C) Declares one integer pointer “c” and one integer “d”
- D) Declares one integer “c” and one integer pointer “d”
- E) The behavior is undefined

Pointer declaration caveat

- The following code doesn't do what you think it does:
 - `int* c, d;`
- Recommendation: put asterisk next to variable names in declarations
 - `int *c, *d;`
 - Or declare only one variable per line!
- Exception: function declarations (since there can only be one return value)
 - `int* myfunc();`

C/Linux memory model

- Every process has its own virtual private memory called an **address space**.
- The address space is divided into **regions**. Some regions are **static** and do not change size while the process runs, while others are **dynamic**, changing size if necessary.
- The **stack** region expands when a function is called and shrinks when a function returns. The **heap** region expands when `malloc()` is called.
- Some regions begin at a **randomized** location (different on every run) for security reasons.



Dynamic memory allocation

- If you do not know how much memory you need until after the program is running, you must allocate memory on the heap
- Allocate with `malloc()` function (or `calloc`)
 - Pass it the number of bytes you need
 - Often calculated using the `sizeof` operator
 - Returns a pointer to the beginning of the allocated region
- De-allocate with `free()` when you are done
 - Pass it a pointer to the beginning of the region you want to free
 - Good code practice: set pointer to NULL afterwards
 - Neglecting to free memory will result in a **memory leak** when the reference is no longer valid (e.g., the pointer goes out of scope)

Variable summary

- **Global variables**
 - **Static data** address, **global** scope, **static** lifetime
- **Local variables (regular)**
 - **Stack** address, **local** scope, **dynamic** lifetime
 - Valid while the function executes
- **Local variables declared 'static'**
 - **Static data** address, **local** scope, **static** lifetime
 - Similar to global variable but with local scope
- **Dynamically-allocated memory**
 - **Heap** address, **local** scope (via pointer), **dynamic** lifetime
 - Valid from malloc until free
 - Pointer(s) themselves are usually local variables (see above)

Memory model example

```
int global_var;
```

```
void foo()
{
    static int foo_st_var;
    int foo_var;
}
```

```
int main()
{
    int main_var;
    int *malloc_var = (int*)malloc(sizeof(int));
    foo();
    return 0;
}
```

For each of the following variables, classify their address as **static**, **stack**, or **heap**:

- global_var
- foo_st_var
- foo_var
- main_var
- malloc_var
- *malloc_var

Does this program leak memory? If so, where, and how would you fix it?